



**CRDe Engine (BSIII)** 




### **BUILT FOR POWER, PICKUP AND SPEED**

Unleash the power machine. The all new LoadkingCRX with CRDe BSIII engine is here. The CRDe engine gives optimum power at low rpms, better pickup even with heaviest of loads and best in class mileage. With CRX power features of greater Comfort, higher Reliability and Xtra economy, lead the road.

# CRDe The winning edge

- Optimum Power
- · High Torque. Great Pickup
- Less NVH (Noise, Vibration and Harshness) BSIII compliant for more resale value
- · High Speed
- Lower Maintenance Cost



Common Rail Diesel Engine Technology (CRDe) ensures fuel is always stored and injected at a high pressure




#### Longer Cargo Body and Higher Payload

At 3120 mm cargo body and 3900 kgs payload capacity it is 9% longer and 300 kgs more payload than the competition



#### Mega Mileage

Unique CRDe engine technology and overdrive gearbox ensure highest mileage in its class



#### Best Maneuverability

11.6 m Turning Circle Diameter as compared to the competitor's 12 m



#### Warranty

Only brand to offer 4 years warranty. Excellent after sales service and spares network







Comfort

### The Competitive Edge

#### Comfort is when you really fall in love with long drives

#### Fatigue free driving experience with the new CRX cabin

- More head room space
- Steering Sporty with better grip
- Steering Tilt and telescopic column
- Gear knob Sporty with better grip
- Improved heat insulation
- · Multi-directional air vents
- Music system package with speakers provision
- Lowest Turning Circle Diameter for better maneuverability





#### Reliability is our commitment to never let you down


- Tried & tested, Rugged Mahindra aggregates
- Strong and durable chassis mounted load body
- Solid suspension with helper spring
- Best in class 1+3 years warranty





## Xtra Economy More you drive, more you earn

- Up to 10% more mileage with powerful CRDe BSIII Engine & overdrive gearbox
- Increased oil change intervals to ensure lower maintenance cost



New **Stylish Design**  Newly designed front grille & lamps

New aesthetic dashboard

Integrated instrument cluster

### CRDe Engine (BSIII) 3120 mm (10ft) Cargo Body, 6 Tyre

### **Technical Specifications**

**ENGINE** 

Model & Identification LCV CRDe BSIII

Displacement 2609cc

Max Engine Output 58.5 kW (82hp)@ 3200 rpm
Max Torque 205 Nm @ 1800 - 2200 rpm

**GEAR BOX** 

Type Synchronised on all forward gears
No of Gears 5 forward, 1 reverse with overdrive

SUSPENSION

Spring Semi elliptic leaf spring

Shock Absorbers Hydraulic double acting telescopic

Min Turning Circle
Diameter (In Mts)

11.6

**TYRES** 

No of Tyres 2 Front, 4 Rear + 1 Spare

Tyre Size 7.50 x 16 - 16 PR

**FUEL TANK CAPACITY** 75 Litres

**DIMENSIONS** 

Wheel Base 2500 mm Ground Clearance 190 mm

WEIGHTS

Max Permissible GVW 5950 kgs Max Payload 3710\* kgs

**CARGO BODY DIMENSIONS** 

L X W X H (FSD) in mm 3120x1920x500 L X W X H (HSD) in mm 3120x1920x1090

<sup>\*</sup> Payload on FSD version only



NOTE:- In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not the part of the standard equipments. Colour shades shown may vary. E. & O.E.



Available in 4 different colours